

Harnessing digital vs physical design for sustainable behavior strategies: A review

Nicole Goridkov and Kosa Goucher-Lambert

University of California, Berkeley

⊠ goridkov@berkeley.edu

ABSTRACT: Digital products and applications are rapidly evolving, offering immense potential to drive social change and encourage sustainable behaviors. This raises a critical question: how can we effectively design these products to support and inspire sustainable practices? This paper presents a literature review of design for sustainable behavior (DfSB) strategies across various digital and physical product-service systems in engineering design and human-computer interaction. The review examines DfSB intervention trends over the last decade, highlighting the increasing diversity of technological interventions, and categorizes the design methods employed in these technologies. These categories identify opportunities where future DfSB interventions can be applied and illustrate how the unique affordances of digital vs physical technologies can be effectively used to support sustainable practices.

KEYWORDS: Design for X (DfX), Sustainability, Human behaviour in design, emerging technologies

1. Introduction

In the life cycle of a product, the use phase can have significant environmental impacts depending on the behavior of the user (Tang and Bhamra, 2008; Lilley, 2009). Effectively designing products and interventions for this phase can lead to meaningful behavior change when thoughtfully implemented, with successful examples including visualizing energy consumption¹ or incentivizing desirable behaviors (Lockton et al., 2008; Coskun et al., 2015). Within this field of design for sustainable behavior (DfSB), a variety of frameworks have been used to categorize the strategies, from Lilley (2009)'s eco-feedback/behavior-steering/persuasive technologies framework to the design with intent framework (Lockton et al., 2008), bringing together findings from many disciplines. In human-computer interaction research, similar frameworks have been developed (DiSalvo et al., 2010), adding additional strategies like goal-setting and social comparison. While these frameworks all seek to characterize the behaviors or products being used to encourage sustainable user behavior, few studies have approached this field through the lens of interaction modality, particularly the similarities and differences of physical vs digital methods.

As digital products and services become more ingrained in daily life, it is crucial to explore their potential to drive sustainable user behavior. Emerging technologies (e.g., GenAI, VR/AR, etc.) mean information is being disseminated and collected more easily than ever before. The ongoing advancement of artificial intelligence (AI) and other emerging technologies continues to shape the digital transition, creating new opportunities to address challenges within the DfSB domain (Su et al., 2023). However, many challenges exist in applying DfSB principles to the design of products and product-service systems (PSS). These include variability of target consumers, knowledge gaps in developing standardized evaluations and methods, and lack of long-term studies on these interventions (Gustafsson et al., 2021). This paper explores if digital applications, with their ability to quickly scale, swiftly adapt to user behaviors, and

¹ https://poweraware.com/en/

update in real-time, present unique opportunities for intentional sustainability-driven use (Han et al., 2023; Mosca et al., 2024).

This work examines DfSB methods and the product areas explored over the past decade in *digital* and *physical* products, services, and product-service systems (PSS). Using a systematic literature review of research in product/engineering design, and human-computer interaction (HCI), it identifies trends across PSS technologies and evaluates how strategies align with different modalities. These insights aim to guide the development of new DfSB interventions that effectively leverage emerging technologies.

2. Methods



Figure 1. Literature screening overview

To identify design strategies for promoting sustainable user behaviors across digital and physical products, services, and PSS, a systematic literature review was conducted using the PRISMA framework. The review focused on product/engineering design and human-computer interaction research and involved searching the Scopus database. Three key topic areas were developed to guide the search: productservice systems, environmental sustainability, and design for sustainable behavior. A keyword list was created for each area to refine the search strategy. The following search string was used:

("Product Service System" OR "PSS" OR "Product Service Solution" OR "Product as a service" OR "Serviti?ation" OR "Product Design" OR "Service Design" OR "Product Development" OR "Sustainable Products") AND (environment* OR sustainab* OR circular* OR eco* OR "environment* impact" OR "environment* W/2 impact" OR "environment* W/2 sustainab*" OR "environmentally responsible") AND ("intentional design" OR "persuasive design" OR "persuasive technology" OR "design for sustainable behavior" OR "environmentally responsible behavior" OR "design for sustainability" OR "Sustainable Behavi*r" OR "Sustainable Consumer Behavi*r" OR "Sustainable Consumption" OR "Green Consumption")

To be included in the review, only papers published since 2014 (the last 10 years) were considered. Additionally, the papers had to meet the following criteria: 1) they must be empirical studies, 2) they must

refer to a specific product, service, or product-service system (PSS), 3) they must discuss an intervention or method aimed at encouraging user behavior, and 4) they must include discussions on environmental sustainability.

The initial Scopus search surfaced 299 papers. After a title, keyword, and abstract screen, 49 papers remained. To expand the corpus, additional relevant articles were identified from the reference lists of these 49 papers, bringing the total to 79 papers. Notably, many of the articles obtained from references were from the human-computer interaction field, suggesting that slightly different terminology may be used when conducting DfSB studies in this domain. One paper was excluded due to access issues. After a close read of all the articles, 39 papers were included in the final analysis. Notably, one of these papers presented two distinct case studies, which were treated as separate entries for analysis purposes. An overview of this filtering can be found in Figure 1.

Papers were coded based on several criteria: intervention modality (digital, physical, or other), application area, behavioral outcome (if measured), technology type (if applicable), contribution type, and the specific DfSB strategy(s) employed. Contribution types were categorized using the framework from Coskun et al. (2015), which classifies conceptual and empirical studies based on their outcomes and methods. Since this review focuses strictly on empirical contributions, conceptual studies are not included in the results. DfSB strategies were coded according to the design intervention strategies outlined by Bhamra et al. (2011), as summarized in Table 1.

Goal
to make consumables visible, understandable and accessible to
inspire consumers to reflect upon their use of resources
to encourage consumers to think about their use behaviour and
to take responsibility of theirs actions through providing
consumers with options
to inform users clearly about what they are doing and to
facilitate consumers to make environmentally and socially
responsible decisions through offering real-time feedback
to inspire users to explore more sustainable usage through
providing rewordings to 'prompt' good behaviour or penalties
to 'punish' unsustainable usage
to facilitate users to adopt more environmentally or socially
desirable use habits through the prescriptions and/or constraints
of use embedded in the product design
to restrain existing use habits and to persuade or control user
behaviour automatically by design combined with advanced
technology
to automatically act environmentally or socially without raising
awareness or changing user behaviour purely through
innovative product design

Table 1. Overview of DfSB strategies proposed by Bhamra et al. (2011).

3. Results

Figure 2 shows the distribution of included articles by year. There is an increase in DfSB papers over time, confirming and extending findings from Coskun et al. (2015) and Gustafsson et al. (2021) that the field continues to gain interest in the research community. Of the 39 papers analyzed, 20 were journal papers and 19 were conference papers. Future work could explore analyzing conference posters and demos where available, which may highlight additional prototypes that may have not been archived. A variety of applications were analyzed across the corpus of papers, as seen in Figure 3. Resource consumption (both energy and water) appears across all intervention modalities, reflecting a consistent trend in DfSB behavior since the field's emergence, as consumer behavior is the primary driver of environmental impact for energy-consuming products (Tang and Bhamra, 2009). The product areas that appear







Figure 3. Product application areas, color-coded by type. The overlap represents interventions categorized as both physical and digital. The numbers in parentheses represent the number of studies that utilized each technology in a given modality (e.g., "water (8)" indicates that eight studies used water as an application area in that modality).

in the digital/physical overlap all represent tangible areas of daily life, from cooking to using paper towels to waking up on time for work, that have opportunity to leverage digital technologies to influence sustainable user behaviors. Overall, a greater diversity in applications appears in digital interventions (or those with a digital component), showing the flexibility that this modality supports in engaging with different fields. While resource consumption was and remains a primary focus of DfSB interventions, as evidenced by research in the 2000s and early 2010s (Bhamra et al., 2011; Hansson et al., 2021), emerging technologies are enabling broader applications of DfSB. These new applications include empowering sustainable decision-making in areas like food and apparel, promoting product and furniture longevity through emotional connections, and providing real-time feedback on eco-driving behaviors.

2
5
8
11
14
-

Table 2. Distribution of contribution types, as categorized by Coskun et al. (2015).

3.1. Intervention types and modalities

In the 39 studies analyzed, a total of 53 design interventions were observed. Within these 53 interventions, 21 digital interventions were present, 16 physical interventions, 15 physical interventions with digital component(s), and 1 digital intervention with physical components. Interventions are defined according to the components with which users regularly interacted with. For example, redesigning a sink so that its outflow rate is slower and users are visually motivated to user less water is a *physical* intervention (Halabieh and Shu, 2024). On the other hand, a browser extension that nudges users toward sustainable fashion choices is a *digital* intervention (Hu et al., 2024) as it is completely online. A mix of these two interventions can occur, for example, a mobile app that receives information from a smart egg tray in the user's fridge to raise awareness about food waste is primarily digital (app) but has a physical element with which users interact (egg tray), and would thus be categorized as *digital with physical component* (Carulli et al., 2022). The final modality is exemplified by a coffee maker that provides real-time energy consumption feedback. While physical in nature, it incorporates digital components to enable its functionality and is thus categorized as *physical with digital components* (Cor and Zwolinski, 2015). About half of the studies analyzed were either lab experiments or field studies which propose and

evaluate a design artifact (Table 2). Still, about a third of studies don't provide an evaluation of their intervention. This highlights a key challenge in DfSB: the lack of standardized evaluation methods and metrics. Future studies should explore in-field or living lab evaluations to measure intervention effects, observe habitual practices, and assess long-term impacts, addressing a significant gap in the field (Coskun et al., 2015; Gustafsson et al., 2021).

The classification of each intervention by both DfSB strategy and modality can be seen in Figure 4. The most frequently used DfSB strategy among digital interventions was eco-information. In the digital space, eco-information was found to be most successful when transparency and traceability of data was prioritized (Stolz et al., 2024; Hina et al., 2024). Eco-information was increasingly used as a strategy for online shopping and fashion, highlighting an area where relevant sustainability data can be strategically displayed to the user alongside the existing webpage. This strategy is more difficult to convey for inperson apparel shopping, where information sharing is more limited and static in nature.



Figure 4. Design interventions analyzed according to DfSB framework and PSS categorization.

3.2. Design strategies and technological trends

Eco-feedback was the most commonly used strategy overall, and saw implementation in both physical and digital contexts. Several studies observed that eco-feedback lead to more successful behavioral outcomes in digital interventions. For example, water consumption was more effectively reduced when an individual's usage was displayed on a screen compared to when a physical intervention (such as water usage visually decreasing proportionally from a fish tank) was used (Sohn and Nam, 2015). Feedback was especially impactful in digital interventions when the feedback was compared against peer usage (Chiu et al., 2020; Biørn-Hansen et al., 2022; Burel et al., 2016). Across physical and digital interventions, it is important to consider the affect and tone of any eco-feedback provided when designing a new PSS, though there are mixed results on the relationship between positive/negative feedback and its effect in the short- and long-term (Serna-Mansoux et al., 2014; Bao et al., 2019; Saadi and Yang, 2020). To enhance the effectiveness of eco-feedback interventions, additional measures can be incorporated, such as the use of conversational AI agents that provide emotional connections alongside eco-feedback (Berney et al., 2024). These agents can offer personalized recommendations and foster a sense of engagement, potentially leading to more sustainable behavior changes.

Alongside eco-feedback, eco-spur was also frequently seen as successful in the digital interventions due to its ability to set individualized goals or incentives, which can be easily tailored for different target users and environmental attitudes when using platforms like mobile apps or consumption sensors (Withanage et al., 2014; Cor and Zwolinski, 2015; Carulli et al., 2022; Huang et al., 2023). In a similar vein, eco-steer was successfully enacted in digital interventions which collected user's usage data and sought to make suggestions and modifications to tailor to that particular user, as seen in the paper Tariff Agent, where users could easily switch energy plans through text message suggestions based on their your electricity use (Alan et al., 2016).

Almost all eco-choice interventions incorporated a digital component. These interventions were particularly effective when they collected user data and provided options tailored to individual usage patterns. While many relied on automation to assist in decision-making, a key finding was the importance of offering flexible levels of user control and involvement. This flexibility was shown to enhance both user satisfaction and the overall success of the interventions (Alan et al., 2016; Jensen et al., 2018).

Physical interventions were clustered in one of five ways: (1) adding a functional constraint to a task, (2) changing operational complexity, (3) changing physical workload (Sohn and Nam, 2015), (4) asking the user to set a goal, and (5) influencing user emotions. Functional constraint was the most often used (7 occurrences), which often served to steer or spur the user's behavior a particular way, for example in saving water while using the faucet (Sohn and Nam, 2015; Halabieh and Shu, 2024). Influencing user emotion was the next most popular category (4 occurrences), shown in examples that look to evoke product attachment (Kowalski and Yoon, 2022), nostalgia (Ranscombe et al., 2022), or encouragement vs guilt (Saadi and Yang, 2020).

When looking at the evolution of technologies over time, there is an increasing diversity in the types of technologies used (Figure 5). As technologies advance, they open up new opportunities by becoming more powerful and offering new affordances. The use of internet of things (IoT) and embedded systems is consistent over time, while more personalized technologies like mobile apps, AI, and social media, begin to see visibility in later years. As newer technologies emerge, they not only increase data process-ing capabilities, but they also provide more tailored, user-centric experiences. For example, the growth of mobile apps and AI has enabled greater personalization, improving user engagement with sustainability efforts and adapting to user attitudes. Social media offers real-time feedback and community-driven motivation to users, which has shown success in encouraging sustainable behaviors.



Figure 5. Technologies implemented over time, color-coded by type. The numbers in parentheses represent the number of studies that utilized each technology in a given year (e.g., "IoT (3)" indicates that three studies implemented IoT devices that year).

4. Discussion

Many of the barriers encountered in implementing DfSB strategies (Gustafsson et al., 2021) may be addressed through the affordances provided by digital technologies. Specifically, the integration of digital techniques enables the personalization and adaptation of products, allowing interventions to better respond to the varying behaviors within large consumer groups. Furthermore, technologies like social media, AI, and chatbots can help quickly implement and scale intervention ideas, helping address barriers around enacting DfSB due to time and resource issues, as well issues with realizing interventions into long-term behavior change. Digital interventions, spanning from basic consumption sensors to complex AI models, provide valuable data on the use phase of products. Technologies like AI afford additional possibilities like improving accuracy of PSS offerings and predicting consumption patterns to avoid waste (Watson, 2017; Alcayaga et al., 2019; Natarajan et al., 2022). This data is particularly valuable for addressing the significant data scarcity issue that designers face when trying to gain a deeper understanding of how products are utilized in real-world contexts (Polizzi di Sorrentino et al., 2016; Ceschin and Gaziulusoy, 2016). By integrating these technologies, designers can access real-time insights that facilitate more informed, evidence-based decision-making when developing sustainable products. To address other existing barriers, data-driven DfSB strategies enable the expansion of a design's target user base and facilitate the execution of long-term studies on sustainability behaviors (Montecchi and Becattini, 2020) by making scalable studies possible and less resource-intensive.

As data-driven technologies continue to play an increasingly prominent role in implementing sustainability and circular economy principles across the life cycle (Han et al., 2023; Su et al., 2023), this review focuses specifically on empirical studies that explore their application within the use phase. There is an opportunity to revisit many early studies in DfSB (Lockton et al., 2008; Froehlich et al., 2010) with the integration of items like novel sensing techniques or data processing to increase efficiency and therefore effectiveness.

While there is significant potential to use emerging technologies to promote sustainable behaviors, it must be done with careful consideration. First, it is important to assess how the technology itself may affect the overall environmental impact. For example, adding an LED screen to display a user's power consumption while vacuuming might encourage more efficient use, but if the environmental cost of producing and incorporating the screen outweighs the savings from improved behavior, the net sustainability effect would be negative. To address this, evaluation methods like life cycle assessment (LCA) can be used to measure the impact of specific interventions. However, modeling the use phase of a product's life cycle is a large problem when conducting LCAs (Polizzi di Sorrentino et al., 2016; Daae and Boks,

2015), largely due to challenges with evaluation, as reflected broadly in DfSB. Even with the incorporation of emerging technologies, additional challenges may remain with rebound effects, though there is still a lack of consensus on how to effectively measure these broader impacts (Pigosso, 2024). Additionally, considerations of data privacy and ethics must be integrated into the design process if new digital data-collection methods are to be used (Ploderer et al., 2012). For example, if AI is to be used for user interaction or data collection, designers should consider consulting the Guidelines for Human-AI Interaction framework (Amershi et al., 2019), which can provide a lens on employing these techniques with the users in mind.

5. Conclusion

This paper presents a review of empirical design for sustainable behavior interventions in PSS across physical and digital products. A limitation of this study is that commercial products were not included in the analysis. Future research that examines these products could provide valuable insights into current consumer behavior at a larger scale, helping to better understand how sustainability interventions impact a broader market. The review finds technologies involved in DfSB interventions are diversifying with time, allowing for personalization and increasing levels of information to be conveyed to the user. Affordances of digital technologies are posited as addressing many of the diversity and resource barriers that DfSB practitioners may face. Notably, as emerging technologies enable more automated DfSB approaches, it is important to incorporate flexible levels of user control and involvement with the intervention for optimal success. Overall, this review provides a snapshot of how digital and physical technologies are being incorporated into DfSB interventions and highlights opportunities to use new technologies to support the design of new sustainable products and practices.

Acknowledgements

This material is based upon work supported by the National Science Foundation Graduate Research Fellowship Program under Grant No. 2146752. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the National Science Foundation.

References

- Alper, A., Costanza, E., Ramchurn, S., Fischer, J., Rodden, T., and Jennings, N. (2016). Tariff agent: interacting with a future smart energy system at home. ACM Transactions on Computer-Human Interaction (TOCHI), 23(4):1–28.
- Alcayaga, A., Wiener, M., and Hansen, E. G. (2019). Towards a framework of smart-circular systems: An integrative literature review. *Journal of Cleaner Production*, 221:622–634.
- Amershi, S., Weld, D., Vorvoreanu, M., Fourney, A., Nushi, B., Collisson, P., Suh, J., Iqbal, S., Bennett, P. N., Inkpen, K., et al. (2019). Guidelines for human-ai interaction. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*, pages 1–13.
- Bao, Q., Burnell, E., Hughes, A. M., and Yang, M. C. (2019). Investigating user emotional responses to eco-feedback designs. *Journal of Mechanical Design*, 141(2):021103.
- Berney, M., Ouaazki, A., Macko, V., Kocher, B., and Holzer, A. (2024). Care-based eco-feedback augmented with generative AI: Fostering pro-environmental behavior through emotional attachment. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems*, pages 1–15.
- Bhamra, T., Lilley, D., and Tang, T. (2011). Design for sustainable behaviour: Using products to change consumer behaviour. *The Design Journal*, 14(4):427–445.
- Biørn-Hansen, A., Katzeff, C., and Eriksson, E. (2022). Exploring the use of a carbon footprint calculator challenging everyday habits. In *Nordic Human-Computer Interaction Conference*, pages 1–10.
- Burel, G., Piccolo, L. S. G., and Alani, H. (2016). Energyuse—a collective semantic platform for monitoring and discussing energy consumption. In *The Semantic Web–ISWC 2016*, pages 257–272. Springer.
- Carulli, M., Bordegoni, M., and Spadoni, E. (2022). Applications virtually augmenting real experiences for behavioral change. *Computer-Aided Design and Applications*, 19(1):176–190.
- Ceschin, F., and Gaziulusoy, I. (2016). Evolution of design for sustainability: From product design to design for system innovations and transitions. *Design Studies*, 47:118–163.
- Chiu, M. C., Kuo, T. C., and Liao, H. T. (2020). Design for sustainable behavior strategies: Impact of persuasive technology on energy usage. *Journal of Cleaner Production*, 248:119214.

- Cor, E., and Zwolinski, P. (2015). A protocol to address user behavior in the eco-design of consumer products. *Journal of Mechanical Design*, 137(7):071413.
- Coskun, A., Zimmerman, J., and Erbug, C. (2015). Promoting sustainability through behavior change: A review. *Design Studies*, 41:183–204.
- Daae, J., and Boks, C. (2015). Opportunities and challenges for addressing variations in the use phase with LCA and design for sustainable behaviour. *International Journal of Sustainable Engineering*, 8(3):148–162.
- DiSalvo, C., Sengers, P., and Brynjarsdóttir, H. (2010). Mapping the landscape of sustainable HCI. In *Proceedings* of the 2010 CHI Conference on Human Factors in Computing Systems, pages 1975–1984.
- Froehlich, J., Findlater, L., and Landay, J. (2010). The design of eco-feedback technology. In *Proceedings of the 2010 CHI Conference on Human Factors in Computing Systems*, pages 1999–2008.
- Gustafsson, K. F., Harild, S. A., and Pigosso, D. C. A. (2021). Design for sustainable behaviour in product/service systems A systematic review. *Proceedings of the Design Society*, 1:1033–1042.
- Halabieh, S. and Shu, L. H. (2024). Reducing waste outflow to motivate water conservation. *Journal of Mechanical Design*, 146(2).
- Han, Y., Shevchenko, T., Yannou, B., Ranjbari, M., Shams Esfandabadi, Z., Saidani, M., Bouillass, G., Bliumska-Danko, K., and Li, G. (2023). Exploring how digital technologies enable a circular economy of products. *Sustainability*, 15(3):2067.
- Hansson, L. Å. E. J., Cerratto Pargman, T., and Pargman, D. S. (2021). A decade of sustainable HCI: connecting SHCI to the sustainable development goals. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, pages 1–19.
- Hina, M., Islam, N., and Dhir, A. (2024). Blockchain for sustainable consumption: an affordance and consumer value-based view. *Internet Research*, 34(7):215–250.
- Hu, J., El-Rashid, F., and Bertelsen, S. E. (2024). SHADE: Empowering consumer choice for sustainable fashion with AI and digital tooling. In *Extended Abstracts of the 2024 CHI Conference on Human Factors in Computing Systems*, pages 1–5.
- Huang, T., Ke, T., Lin, Y., Shi, F., and Zhang, X. (2023). Green Home: A reflection on the relationship between human and furniture. In *Extended Abstracts of the 2023 CHI Conference on Human Factors in Computing Systems*, pages 1–5.
- Jensen, R. H., Kjeldskov, J., and Skov, M. B. (2018). Assisted shifting of electricity use: A long-term study of managing residential heating. *ACM Transactions on Computer-Human Interaction (TOCHI)*, 25(5):1–33.
- Kowalski, M. C. and Yoon, J. (2022). I love it, I'll never use it: Exploring factors of product attachment and their effects on sustainable product usage behaviors. *International Journal of Design*, 16(3).
- Lilley, D. (2009). Design for sustainable behaviour: strategies and perceptions. Design Studies, 30(6):704–720.
- Lockton, D., Harrison, D., and Stanton, N. (2008). Making the user more efficient: Design for sustainable behaviour. *International Journal of Sustainable Engineering*, 1(1):3–8.
- Montecchi, T. and Becattini, N. (2020). Design for sustainable behavior: Opportunities and challenges of a data-driven approach. In *Proceedings of the Design Society: DESIGN Conference*, 1:2089–2098. Cambridge University Press.
- Mosca, O., Manunza, A., Manca, S., Vivanet, G., and Fornara, F. (2024). Digital technologies for behavioral change in sustainability domains: a systematic mapping review. *Frontiers in Psychology*, 14:1234349.
- Natarajan, H. K., de Paula, D., Dremel, C., and Uebernickel, F. (2022). A theoretical review on AI affordances for sustainability. In *Twenty-eighth Americas Conference on Information Systems*.
- Pigosso, D. C. A. (2024). Reboundless design: towards the prevention of rebound effects by design. *Design Science*, 10:e42.
- Ploderer, B., Smith, W., Howard, S., Pearce, J., and Borland, R. (2012). Things you don't want to know about yourself: ambivalence about tracking and sharing personal information for behaviour change. In *Proceedings* of the 24th Australian Computer-Human Interaction Conference, pages 489–492.
- Polizzi di Sorrentino, E., Woelbert, E., and Sala, S. (2016). Consumers and their behavior: state of the art in behavioral science supporting use phase modeling in LCA and ecodesign. *The International Journal of Life Cycle Assessment*, 21:237–251.
- Ranscombe, C., Blijlevens, J., and Thurgood, C. (2022). Old and appreciated: Exploring the influence of material ageing on the aesthetic appreciation of everyday products. *Proceedings of the Design Society*, 2:2213–2222.
- Saadi, J. I. and Yang, M. C. (2020). Motivating sustainable behavior using cognitive interventions in product design. In *International Design Engineering Technical Conferences and Computers and Information in Engineering Conference*, volume 83976, page V008T08A019. American Society of Mechanical Engineers.
- Serna-Mansoux, L., Chapotot, E., Millet, D., and Minel, S. (2014). Study of user behaviour after eco-use feedback: the Green-Use Learning Cycle (GULC) as a new strategy for product eco-design. *International Journal on Interactive Design and Manufacturing (IJIDeM)*, 8(1):43–54.

- Sohn, M. and Nam, T. J. (2015). Understanding the attributes of product intervention for the promotion of proenvironmental behavior: A framework and its effect on immediate user reactions. *International Journal of Design*, 9(2):55–77.
- Stolz, K., Hammerschmidt, T., and Posegga, O. (2024). How conversational agents influence purchase decisions of online fashion shoppers toward sustainable consumption: Exploring nudges for green decision-making. In Proceedings of the 57th Hawaii International Conference on System Sciences.
- Su, H., Vezzoli, C., Nan, X., et al. (2023). Digital transition, Sustainable Product-Service System (S. PSS), and environmental sustainability—A systematic review. *IASDR2023: LIFE CHANGING DESIGN*, pages 1–22.
- Tang, T. and Bhamra, T. A. (2009). Improving energy efficiency of product use: An exploration of environmental impacts of household cold appliance usage patterns. In *The 5th International Conference on Energy Efficiency in Domestic Appliances and Lighting EEDAL'09*. Citeseer.
- Tang, T. and Bhamra, T. A. (2008). Understanding consumer behaviour to reduce environmental impacts through sustainable product design. *Undisciplined! DRS International Conference 2008*.
- Watson, H. J. (2017). Preparing for the cognitive generation of decision support. MIS Quarterly Executive, 16(3).
- Withanage, C., Ashok, R., Hölttä-Otto, K., and Otto, K. (2014). Identifying and categorizing opportunities for design for sustainable user behavior. In *International Design Engineering Technical Conferences and Computers and Information in Engineering Conference*, volume 46407, page V007T07A008. American Society of Mechanical Engineers.